Notice of Allowability	Application No.	Applicant(s)	
	10/684,332	MILLER ET AL.	
	Examiner	Art Unit	
	David A Vanore	2881	in
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. $igspace$ This communication is responsive to <u>the election filed Octo</u>	ber 28, 2004.		
2. X The allowed claim(s) is/are 1-13,15 and 17.			
3. 🔀 The drawings filed on 18 March 2004 are accepted by the Examiner.			
 4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No		tion from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the red	quirements
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 			OTICE OF
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 			
Attachment(s) 1. ➢ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 8/23/04 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☑ Examiner's Amendr 8. ☑ Examiner's Stateme 9. ☐ Other	(PTO-413), renent/Comment	·

Art Unit: 2881

Election/Restrictions

Applicant's election without traverse of claims 1-13, 15, and 17 in the reply filed on October 28, 2004 is acknowledged.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Claims 14, 16, and 18-20 are cancelled for being claims directed to non-elected species where the election was made without traverse.

Allowable Subject Matter

Claims 1-13, 15, and 17 are allowed.

The following is an examiner's statement of reasons for allowance:

The prior art fails to teach or suggest a gas analysis system for investigation of NOx samples having a "soft ionization" source and where an ion filter analyzes a gas sample by generating an asymmetric displacement field between electrodes across a flow path, the asymmetric field being compensated such that a desired species of NOx is selected and directed along a flow path to an outlet away from unwanted species of NOx to prevent neutralization of the desired species prior to detection based on the compensated asymmetric field as recited in claim 1. Claims 2-13, 15, and 17 depend on claim 1 and are therefore allowable by virtue of their dependency.

The examiner further cites US Patent 6,599,253 B1 to Baum et al. which teaches a anthropogenic breath analysis device which utilizes an asymmetric field to filter ion species. However, this apparatus utilizes a radioactive ionization means, and therefore fails to disclose the required "soft ionization" source of the instant application. The prior art does not contain a teach or suggest the combination of such a "soft ionization" source with the Baum et al. reference, and therefore, Baum et al. taken with the prior art does not apparently render any of the claims 1-13, 15, and 17 unpatentable.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David A Vanore whose telephone number is (571) 272-2483. The examiner can normally be reached on M-F 7:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John R. Lee can be reached on (571) 272-2477. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/684,332 Page 4

Art Unit: 2881

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

dav

JOIN R. LEE

TICHNOLOGY CENTER 2800